

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,884,346 B2
APPLICATION NO. : 09/978,515
DATED : April 26, 2005
INVENTOR(S) : Richard N. Zare et al.

Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 8, line 48, please delete "includes" and insert --include--.

Column 11, lines 8-9, please delete "Methacryloxpropyltrimetoxysilane" and insert --Methacryloxypyltrimethoxysilane--.

Column 12, line 2, please delete "removed" and insert --remove--.

Column 12, line 27, please delete "(v/v)" and insert --(v/v/v)--.

Column 12, line 41, please delete "bienzanthracene" and insert --dibenzanthracene--.

Column 12, line 48, please delete "20° C." and insert --20° C--.

Column 12, line 50, please delete "ethylene benzene" and insert --ethyl benzene--.

Column 13, line 5, please delete "20° C." and insert --20° C--.

Column 13, line 63, please delete "X1-1500" and insert --XL-1500--.

Column 14, line 61, please delete "poroux" and insert --porous--.

Column 15, lines 19-20, please delete "electropherogram" and insert -- electrochromatogram--.

Column 15, line 31, please delete "The peak" and insert --The corrected peak--.

Column 15, line 33, please delete "arbitrary units/min".

Column 16, line 4, please delete "angiotensis" and insert --angiotensis--.

Column 16, line 66, please delete "experimentation" and insert --experimental--.

Column 22, line 37, please delete $k=(t_R-t_0)/t_0$ and insert -- $k=(t_R-t_0)/t_0$ --.

Column 22, line 38, please delete " t_0 " and insert -- t_0 --.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,884,346 B2
APPLICATION NO. : 09/978,515
DATED : April 26, 2005
INVENTOR(S) : Richard N. Zare et al.

Page 2 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 23, line 23, please delete "(Rs=2.43)" and insert --($R_s=2.43$)--.

Column 23, line 31, please delete " k_N and k_{py} " and insert -- k_N and k_{py} --.

Column 23, lines 33-34, please delete " k_N and k_{py} " and insert -- k_N and k_{py} --.

Column 23, line 35, please delete " k_N " and insert -- k_N --.

Column 23, line 35, please delete " k_{py} " and insert -- k_{py} --.

Column 23, line 50, please delete " k_N " and insert -- k_N --.

Column 23, line 50, please delete " k_{py} " and insert -- k_{py} --.

Column 23, line 56, please delete " k_N " and insert -- k_N --.

Column 23, line 57, please delete " k_{py} " and insert -- k_{py} --.

Column 23, line 58, please delete " k_N " and insert -- k_N --.

Column 23, line 58, please delete " k_{py} " and insert -- k_{py} --.

Column 24, line 33, please delete "suture" and insert --structure--.

Column 25, line 46, please delete "(panel c)" and insert --(panel e)--.

Column 25, line 65, please delete "PSGCF₁₃" and insert --PSG-CF₁₃--.

Column 26, line 38, please delete "(pH 24)" and insert --(pH 2-4)--.

Column 26, line 44, please delete "Diffusion" and insert --Diffusional--.

Column 26, line 56, please delete "factor a" and insert --factor α --.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,884,346 B2
APPLICATION NO. : 09/978,515
DATED : April 26, 2005
INVENTOR(S) : Richard N. Zare et al.

Page 3 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 28, line 34, please delete "angiotensin I" and insert --angiotensin II--.

Signed and Sealed this

Eighth Day of August, 2006

A handwritten signature in black ink, reading "Jon W. Dudas". The signature is stylized, with a large, looped initial "J" and a distinct "D" at the end.

JON W. DUDAS
Director of the United States Patent and Trademark Office